UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/577,173	10/27/2009	Wolfgang Hetzel	I441.141.101	1239	
73158 Dicke, Billig, &	7590 01/19/201 z Czaia, PLLC	EXAMINER			
100 South 5th S	Street, Suite 2250		MITCHELL, JAMES M		
Minneapolis, M	IIN 33402		ART UNIT	PAPER NUMBER	
			2813		
			MAIL DATE	DELIVERY MODE	
			01/19/2011	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application	on No.	Applicant(s)			
Office Action Summary		10/577,17	'3	HETZEL ET AL.			
		Examiner		Art Unit			
		JAMES M	. MITCHELL	2813			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)⊠ Res	ponsive to communication(s) filed on 03	Sentember 2	2010				
·	·	his action is n					
·=	<i>'</i> —			secution as to the	e merits is		
·	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
0.00	ou in accordance with the practice and	- Expanto da	ay, 0, 1000 0.5. 11, 10	0 0.0.210.			
Disposition o	of Claims						
<ul> <li>4) ☐ Claim(s) 16,19,22-25,27,30-33 and 36-38 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5) ☐ Claim(s) 16,19,22-25,27,30-33 and 36-38 is/are allowed.</li> <li>6) ☐ Claim(s) is/are rejected.</li> <li>7) ☐ Claim(s) is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/or election requirement.</li> </ul>							
Application Papers							
9) The	specification is objected to by the Exam	iner.					
10)⊠ The drawing(s) filed on <u>26 April 2006</u> is/are: a) accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment(s)							
	deferences Cited (PTO-892)		4) Interview Summary				
Notice of Draftsperson's Patent Drawing Review (PTO-948)     Information Disclosure Statement(s) (PTO/SB/08)     Paper No(s)/Mail Date			Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:				

## **DETAILED ACTION**

This office action is in response to applicant's amendment filed November 24, 2010.

## Allowable Subject Matter

Claims 16, 19, 22-25, 27, 30-33 and 36-38 are allowable.

The following is a statement of reasons for the indication of allowable subject matter: the prior art does not disclose or make obvious mechanically decoupling the plastic package including all the limitations of the independent claim.

## Response to Arguments

Applicant's arguments filed November 24, 2010 have been fully considered and are persuasive. The previous rejection has been withdrawn.

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art such as in Lin (U.S 6,709,188) teaches away forming moisture paths in the encapsulation.

This application is in condition for allowance except for the following formal matters:

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the plastic molding mechanically decoupled must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES M. MITCHELL whose telephone number is (571)272-1931. The examiner can normally be reached on M-F 8:00-4:00.

Application/Control Number: 10/577,173 Page 4

Art Unit: 2813

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mathew Landau can be reached on (571) 272-1731. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Matthew C. Landau/ Supervisory Patent Examiner, Art Unit 2813

January 9, 2011 /James M. Mitchell/ Examiner, Art Unit 2813